

Message

---

**From:** DOU Connie [Connie.Dou@state.or.us]  
**Sent:** 8/9/2019 11:16:23 PM  
**To:** BOROK Aron [Aron.BOROK@state.or.us]; DOU Connie [Connie.Dou@state.or.us]; STURDEVANT Debra [Debra.STURDEVANT@state.or.us]; Guzzo, Lindsay [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=8643d3d6703a4886b13c5548d22307a0-Guzzo, Lindsay]; Labiosa, Rochelle [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=ded3654216c9461d95cd5a3ceec507ef-Labiosa, Rochelle]; Shaw, Hanh [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=60509321022b49a39f6f6f8df62858de-Shaw, Hanh]  
**Subject:** RE: EPA comments on MDV and authorizing provision

Thanks Lindsay for sending the comments. We are looking forward discussing the comments with you next week!

Connie Dou  
Water Quality Standards & Assessments Manager  
Water Quality Division  
Ph.(503)229-5413  
Cell(503)8536517  
[Dou.Connied@deq.state.or.us](mailto:Dou.Connied@deq.state.or.us)

Oregon Department of Environmental Quality  
700 NE Multnomah St. Suite 600  
Portland, OR 97232

---

**From:** Guzzo, Lindsay <Guzzo.Lindsay@epa.gov>  
**Sent:** Friday, August 9, 2019 2:09 PM  
**To:** BOROK Aron <Aron.BOROK@state.or.us>; DOU Connie <Connie.Dou@state.or.us>; Labiosa, Rochelle <labiosa.rochelle@epa.gov>; Shaw, Hanh <Shaw.Hanh@epa.gov>; STURDEVANT Debra <STURDEVANT.Debra@deq.state.or.us>  
**Subject:** EPA comments on MDV and authorizing provision

Hi Aron,  
Thank you for providing an opportunity to comment on the draft variance documents. I have attached the comments from EPA on both the authorizing provision and on the fact sheet for the mercury MDV. As this is our first look at the MDV, there were quite a few comments. That being said, we already have a meeting set up for next week to discuss. For next week's meeting I will look to you for an agenda, so you can identify the questions you want answered most.

*Lindsay Guzzo*

Lindsay Guzzo  
US EPA Region 10  
Water Division  
Standards and Assessment Section  
1200 Sixth Avenue, Suite 155 (WD 19-H16)  
Seattle, WA 98101

phone: 206-553-0268  
[guzzo.lindsay@epa.gov](mailto:guzzo.lindsay@epa.gov)